THE AGRI PUBLICATION
THE FUTURE OF AGRICULTURE
Grow With Every Page
e-Magazine for Agricultural Articles
Volume 01 | Issue 06 | November 2026
Available online at https://agripublication.com/
UDYAM REGISTERED NUMBER UDYAM-MP-06-0043239
©Agri Publication ISSN (Online): 3139-6127
Scan to Visit Our Website
Article ID: AP-V01-I06-13

ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING IN VETERINARY MEDICINE: ADVANCED APPLICATIONS IN ANIMAL DISEASE DETECTION AND DIAGNOSIS

Published Online: 02 Nov 2026

DR. BHUNESHWAR PAL SINGH KANWAR[1], DR. GIRISH THAKUR[2] AND DR. SWARNALATA BARA[3]

[1] Assistant Professor, Department of Veterinary Medicine, College of Veterinary Science and Animal Husbandry, Anjora, Durg, Dau Shri Vasudev Chandrakar Kamdhenu Vishwavidyalaya, Durg, Chhattisgarh, India - 491001.

[2] PG Scholar, Department of Veterinary Medicine, College of Veterinary Science and Animal Husbandry, Anjora, Durg, Chhattisgarh, India.

[3] Assistant Professor, Department of Livestock Production and Management, Kumari Devi Chaubey College of Agriculture and Research Station, Saja, Bemetara, Indira Gandhi Krishi Vishwavidyalaya (IGKV), Raipur, Chhattisgarh, India - 491993.

Corresponding Author's Email: swarnalata14366@gmail.com

ABSTRACT

Artificial Intelligence (AI) and Machine Learning (ML) are emerging as important technologies in veterinary medicine, offering new opportunities for early disease detection, accurate diagnosis, continuous health monitoring, and improved clinical decision-making. Conventional veterinary diagnosis often depends on clinical examination, laboratory investigations, imaging techniques, and the experience of veterinary professionals. However, limitations such as delayed disease recognition, shortage of specialists, high diagnostic costs, and inadequate access to veterinary services in rural areas can affect timely treatment. AI-based technologies analyse large volumes of clinical, biological, imaging, behavioural, and environmental data to identify disease-associated patterns and predict potential health problems. Machine learning algorithms, deep learning, computer vision, natural language processing, and predictive analytics are increasingly being investigated for diagnosing infectious diseases, metabolic disorders, mastitis, lameness, respiratory diseases, cardiovascular conditions, and dermatological abnormalities. Integration of wearable sensors, automated milking systems, smart cameras, and electronic health records further supports continuous animal health surveillance. Despite their potential, the practical application of these technologies is constrained by limited species-specific datasets, data quality, model interpretability, infrastructure requirements, and insufficient field validation. This article reviews the advanced applications, opportunities, limitations, and future prospects of AI and ML in veterinary disease detection and diagnosis.

THE AGRI PUBLICATION
THE FUTURE OF AGRICULTURE
ISSN (Online): 3139-6127

Keywords: CRISPR/Cas Genome Editing, Stress-Resilient Maize, Abiotic Stress Tolerance

1. INTRODUCTION

Veterinary medicine plays a vital role in maintaining animal health, improving livestock productivity, ensuring food safety, and controlling zoonotic diseases. Early and accurate diagnosis is essential for effective treatment, disease prevention, and reducing economic losses in livestock and companion animals. Traditional diagnostic approaches generally involve physical examination, clinical history, laboratory testing, radiography, ultrasonography, microbiological investigations, and pathological examination. Although these methods remain fundamental to veterinary practice, diagnosis may be delayed when clinical signs are subtle, disease prevalence is low, or access to specialized diagnostic facilities is limited. The rapid development of digital technologies has created opportunities to improve veterinary healthcare through AI and ML. AI refers to computer-based systems designed to perform tasks that normally require human intelligence, whereas ML enables computer systems to learn patterns from data and improve their predictions without being explicitly programmed for every situation. Deep learning, a specialized branch of ML, uses multilayered neural networks to identify complex patterns in images, sounds, videos, and other large datasets. Recent research has demonstrated growing applications of deep learning in veterinary radiography, cytology, medical records, ultrasound, and animal health monitoring. These technologies can support veterinarians by identifying abnormalities, estimating disease risk, prioritizing cases, and monitoring changes in animal health over time (Xiao et al., 2025). AI is therefore increasingly being considered a decision-support technology that complements conventional veterinary examination rather than replacing professional clinical judgement.

2. MAJOR ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING TECHNIQUES

2.1. Machine Learning Algorithms

Machine learning algorithms analyse structured data such as clinical parameters, laboratory findings, production records, environmental measurements, and animal behaviour. Commonly investigated algorithms include Random Forest, Support Vector Machine, Decision Tree, Logistic Regression, and Gradient Boosting. These methods can classify animals according to disease status, identify important risk factors, and estimate the probability of developing particular disorders. For example, ML models can analyse milk yield, electrical conductivity, somatic cell count, body temperature, and activity patterns to identify dairy animals at increased risk of mastitis. Similarly, production and environmental data can be used to predict heat stress, reproductive abnormalities, and metabolic disorders.

2.2. Deep Learning

Deep learning uses artificial neural networks containing multiple processing layers to extract complex features from large datasets. Convolutional Neural Networks (CNNs) are particularly useful for analysing medical images, including radiographs, ultrasound scans, microscopic images, and photographs of external lesions. Architectures such as ResNet, Inception, and EfficientNet have been investigated for image classification and disease recognition. Deep learning can also be applied to sequential data obtained from wearable sensors, video recordings, and animal activity-monitoring devices. These models can recognize changes in movement, feeding behaviour, respiration, and other physiological indicators that may precede visible clinical signs.

2.3. Computer Vision and Image Analysis

Computer vision enables automated interpretation of images and videos captured through digital cameras, mobile devices, microscopes, and diagnostic imaging equipment. It can be used to identify skin lesions, wounds, swelling, abnormal posture, lameness, and changes in body condition. In poultry and livestock production systems, camera-based monitoring can help detect abnormal movement, reduced activity, respiratory distress, and unusual behavioural patterns.

ISSN (Online): 3139-6127

2.4. Natural Language Processing

Natural Language Processing (NLP) allows computer systems to extract useful information from unstructured textual data. Veterinary clinical records, laboratory reports, case histories, treatment notes, and disease surveillance reports can be analysed to identify disease patterns and support clinical documentation. Emerging language-based AI systems may assist with information retrieval, clinical record summarization, and preliminary case organization. However, their outputs require professional verification before being used for diagnosis or treatment.

3. ADVANCED APPLICATIONS IN VETERINARY DISEASE DETECTION AND DIAGNOSIS

3.1. AI-Based Detection of Infectious Diseases

Infectious diseases remain major constraints to livestock production and animal welfare. AI-based systems can analyse clinical observations, laboratory findings, epidemiological information, animal movement, and environmental conditions to identify disease-associated patterns. Predictive models may help estimate the probability of disease occurrence and identify high-risk farms or animal groups. In cattle and buffaloes, AI-assisted surveillance may support the monitoring of diseases such as lumpy skin disease, foot-and-mouth disease, mastitis, and bovine respiratory infections. In poultry, image and sound analysis can help identify changes associated with respiratory illness, abnormal movement, and flock-level behavioural disturbances. Similarly, data-driven models can assist in monitoring disease patterns in pigs, sheep, goats, and companion animals. AI-based outbreak prediction can integrate climatic conditions, animal density, farm connectivity, and historical disease records. Such systems may help veterinary authorities prioritize surveillance and laboratory testing. Nevertheless, suspected infectious diseases must be confirmed using appropriate clinical, pathological, microbiological, or molecular diagnostic procedures.

3.2. Early Detection of Mastitis in Dairy Animals

Mastitis is one of the most economically important diseases affecting dairy cattle and buffaloes. Conventional diagnosis involves clinical examination, milk testing, somatic cell count, and microbiological investigation. AI-based systems can improve early identification by integrating data from automated milking systems and wearable sensors. Important parameters include milk yield, milk conductivity, milk temperature, milking frequency, somatic cell count, and changes in milk composition. ML algorithms can evaluate variations in these parameters and identify animals showing early indications of udder inflammation. Computer vision may also assist in recognizing udder abnormalities and changes in animal behaviour during milking. Integration of multiple data sources can improve the ability to distinguish abnormal patterns from normal physiological variations. However, alerts generated by automated systems should be followed by appropriate veterinary examination and confirmatory testing.

3.3. Diagnosis of Lameness and Locomotor Disorders

Lameness affects animal welfare, feed intake, reproductive performance, and milk production. Traditional assessment often relies on visual locomotion scoring and physical examination, which may vary between observers. AI-based computer vision systems can analyse walking patterns, limb movement, stride length, posture, and weight distribution. Cameras installed in animal housing areas or milking parlours can continuously record locomotion and identify deviations from normal movement. ML models can then classify animals according to their estimated lameness risk. In horses, similar approaches may assist in identifying gait asymmetry and abnormal movement patterns. These technologies offer the possibility of more objective and frequent monitoring, although clinical examination is necessary to determine the underlying cause of lameness.

3.4. AI in Diagnostic Imaging

Diagnostic imaging is one of the most developed areas of AI application in veterinary medicine. Deep learning algorithms can analyse radiographs, ultrasound images, computed tomography (CT), and magnetic resonance imaging (MRI) to identify abnormalities and assist in image interpretation. In small animal practice, AI-assisted

ISSN (Online): 3139-6127

radiographic analysis may support the detection of fractures, pulmonary abnormalities, cardiac enlargement, joint disorders, and skeletal changes. In veterinary oncology, image-analysis models are being investigated for identifying and classifying tumour-associated features. AI-based cytological image analysis can also assist in identifying abnormal cells and classifying microscopic samples. In livestock, automated image interpretation may support reproductive ultrasonography, pregnancy assessment, and examination of internal organs. Although promising, diagnostic imaging models must be validated across different animal breeds, ages, imaging devices, and clinical settings before routine application (Burti et al., 2024).

3.5. Detection of Metabolic and Reproductive Disorders

Metabolic disorders such as ketosis, hypocalcaemia, and displaced abomasum are important health concerns in high-producing dairy animals, particularly during the transition period. AI-based predictive models can analyse milk yield, feed intake, rumination, body temperature, activity, body condition, and historical health records to identify animals at increased risk. Similarly, reproductive management can benefit from automated monitoring of activity, mounting behaviour, rumination, and body temperature. ML algorithms can identify behavioural patterns associated with oestrus and estimate the probability of reproductive events. Predictive models may also help identify animals at risk of delayed conception, reproductive disorders, or calving-related complications.

These systems can improve the timing of veterinary intervention and reproductive management. However, predictions should be interpreted alongside reproductive examination and relevant laboratory findings.

3.6. AI in Dermatological and Parasitic Disease Diagnosis

Skin diseases caused by bacteria, fungi, parasites, allergens, and other factors are common in domestic animals. Image-based AI systems can analyse photographs of affected skin to identify lesion patterns, inflammation, hair loss, ulceration, and other visible abnormalities. Deep learning models have been investigated for the classification of dermatological conditions in dogs and other animals. Similar approaches may assist in screening for external parasitic infestations and skin lesions in livestock. Mobile-based image analysis could be particularly useful in areas where access to veterinary specialists is limited. However, different diseases may produce similar clinical lesions. Therefore, image-based classification should be considered preliminary screening and supplemented with skin scrapings, microscopy, culture, or other confirmatory investigations when required.

3.7. AI-Based Monitoring of Respiratory Diseases

Respiratory diseases in cattle, poultry, pigs, and companion animals can result in considerable production losses and mortality. AI-based sound analysis can evaluate coughing, sneezing, breathing patterns, and other acoustic signals to identify possible respiratory abnormalities. Microphones installed in animal housing systems can continuously record sounds, while deep learning algorithms classify acoustic patterns associated with abnormal respiratory activity. Camera-based monitoring can provide additional information about posture, activity, and breathing behaviour. Combining acoustic and visual data may improve the identification of animals requiring clinical examination. These technologies are especially relevant to large poultry and pig production units, where individual observation of every animal is difficult.

4. WEARABLE SENSORS AND SMART HEALTH MONITORING SYSTEMS

Wearable sensors are increasingly being integrated with AI-based animal health monitoring platforms. Devices attached to the neck, legs, ears, or other body locations can collect physiological and behavioural information continuously. The collected information is transmitted to digital platforms where ML algorithms analyse variations from normal patterns. Sudden reductions in feeding activity, abnormal temperature, changes in rumination, or reduced movement may indicate the development of disease. Such systems can provide early-warning notifications to farmers and veterinarians. Integration with precision livestock farming platforms allows individual animal monitoring and

ISSN (Online): 3139-6127

supports timely intervention. Their effectiveness depends on sensor accuracy, appropriate placement, battery life, connectivity, and reliable interpretation of collected data.

5. AI IN VETERINARY LABORATORY DIAGNOSIS

Veterinary laboratory investigations provide essential information for identifying infectious, metabolic, haematological, and pathological conditions. AI-based image-analysis systems can support the interpretation of blood smears, cytological preparations, histopathological sections, and microbiological images. Automated systems may assist in identifying blood cells, detecting abnormal cellular morphology, classifying tissue abnormalities, and prioritizing samples for further examination. ML approaches can also integrate haematological and biochemical parameters to identify patterns associated with specific disorders. AI-assisted laboratory systems have the potential to reduce repetitive analytical work and improve consistency in sample interpretation. However, laboratory professionals and veterinary pathologists remain essential for evaluating uncertain findings, recognizing unusual abnormalities, and confirming diagnoses (Neal et al., 2025).

6. DISEASE SURVEILLANCE AND OUTBREAK PREDICTION

AI and ML have considerable potential in veterinary epidemiology and animal disease surveillance. These systems can analyse historical disease records, laboratory-confirmed cases, animal movement, weather conditions, population density, and farm management information to identify emerging disease trends. Predictive models may help estimate the likelihood of disease occurrence in specific geographical regions and identify populations requiring additional surveillance. Integration of veterinary hospital records, farm-level observations, and laboratory databases can improve disease mapping and epidemiological analysis. Such applications are particularly relevant to transboundary animal diseases and zoonotic infections. Linking animal health surveillance with human and environmental health information can also strengthen the One Health approach. However, prediction models must be based on reliable and representative data, and their outputs should support rather than replace epidemiological investigation.

7. FUTURE PROSPECTS

The future of AI in veterinary medicine will depend on the development of reliable, affordable, and clinically validated technologies. Multimodal AI systems that combine clinical records, imaging, laboratory results, wearable sensor data, and environmental information may provide more comprehensive assessments of animal health. Explainable AI is expected to become increasingly important because it can help veterinarians understand which clinical features influence a model's prediction. Federated learning may allow institutions to develop collaborative models without transferring all underlying animal health records to a central database, provided appropriate privacy and security safeguards are maintained. Edge AI, in which data are processed directly on local devices, may support real-time disease alerts in farms with limited internet connectivity. Mobile diagnostic applications could improve access to preliminary screening services in remote locations. Integration of AI with genomic information, molecular diagnostics, biosensors, and epidemiological databases may further strengthen precision veterinary medicine and One Health surveillance. In India, the integration of AI with veterinary hospitals, dairy cooperatives, livestock development programmes, diagnostic laboratories, and digital animal identification systems could support improved disease reporting and livestock health management. However, successful implementation will require regionally representative datasets, local-language interfaces, farmer training, veterinary professional participation, and affordable infrastructure.

ISSN (Online): 3139-6127

8. CONCLUSION

Artificial Intelligence and Machine Learning are transforming veterinary medicine by providing advanced approaches for animal disease detection, diagnosis, health monitoring, and disease surveillance. Their applications in diagnostic imaging, mastitis detection, lameness assessment, metabolic disorder prediction, respiratory disease monitoring, laboratory analysis, and outbreak forecasting demonstrate considerable potential for improving veterinary healthcare. Integration of wearable sensors, computer vision, deep learning, and electronic health records can support continuous and data-driven animal health management. Nevertheless, the effectiveness of AI-based diagnostic systems depends on data quality, species-specific validation, model transparency, affordability, and their performance under practical field conditions. AI should therefore be considered a supportive technology that strengthens the capabilities of veterinarians rather than an independent replacement for clinical expertise. With appropriate validation, responsible implementation, and collaboration among veterinarians, researchers, data scientists, and livestock farmers, AI and ML can contribute significantly to precision veterinary medicine, sustainable livestock production, and improved animal welfare.

REFERENCES

1. Xiao, S., Dhand, N. K., Wang, Z., Hu, K., Thomson, P. C., House, J. K., and Khatkar, M. S. (2025). Review of applications of deep learning in veterinary diagnostics and animal health. *Frontiers in Veterinary Science*, 12, 1511522. https://doi.org/10.3389/fvets.2025.1511522

2. Burti, S., Banzato, T., Coghlan, S., Wodzinski, M., Bendazzoli, M., and Zotti, A. (2024). Artificial intelligence in veterinary diagnostic imaging: Perspectives and limitations. *Research in Veterinary Science*, 175, 105317. https://doi.org/10.1016/j.rvsc.2024.105317

3. Neal, M. E. et al. (2025). Artificial intelligence in veterinary clinical pathology—An introduction and review. *Veterinary Clinical Pathology*, 54(S2), S13–S29. https://doi.org/10.1111/vcp.70012

4. Polapragada, S. (2026). AI applications in veterinary digital health: A systematic survey. *Frontiers in Veterinary Science*, 13, 1853395. https://doi.org/10.3389/fvets.2026.1853395

5. Noble, P.-J. M., and Farrell, S. O. (2026). Disease and health surveillance in companion animals using artificial intelligence and machine learning. *Veterinary Clinics of North America: Small Animal Practice*, 56(5), 1151–1164. https://doi.org/10.1016/j.cvsm.2026.03.016